Saskatchewan Agriculture and Food

Crop Report

Published by Saskatchewan Agriculture and Food
ISSN 0701 7065
Report Number 10, June 12, 2006

Crop Report for June 4, 2006

Saskatchewan farmers have now seeded 88 per cent of the 2006 crop, down from the five year average of 93 per cent, according to Saskatchewan Agriculture and Food's weekly crop report.

The southwest continues to be the most advanced with 98 per cent of the seeding completed, while the northeast continues to be the least advanced with 73 per cent completed. The east central region has 77 per cent of the crop seeded. A number of rural municipalities in these areas report less than half of the crop has been seeded due to saturated fields.

Across the province, spring cereal development was rated normal by 68 per cent of reporters, with 21 per cent rating development as behind schedule. Oilseed development was rated as normal by 68 per cent of reporters, with 26 per cent of crop reporters rating development as behind. Pulse crop development was rated normal by 71 per cent of reporters, with 19 per cent rating development as behind. Sixty-one per cent of reporters rated fall cereal development as normal, while 33 per cent rated development as ahead of normal.

Over 75 per cent of all crops were rated in good to excellent condition.

Flooding caused the most damage to crops during the past week. Other sources of crop damage included wind, drought, hail, insects (flea beetles, cut worms, wire worms, aphids), disease (tan spot, rust), and gophers. Spraying for weed control is underway as weather conditions allow.

Seeding Progress by Crop District

CD	June 4/06	June 5/05
1a	97	87
1b	89	90
2a	95	98
2b	96	94
3an	96	98
3ase	96	98
3asw	96	97
3bn	97	98
3bs	98	99
4a	99	100
4b	99	100
5a	77	88
5b	58	85
6a	90	96
6b	93	96
7a	97	99
7b	96	96
8a	56	86
8b	85	92
9ae	79	96
9aw	89	92
9b	90	88
Prov.	88	93

Seeding Progress in SK per cent seeded

	All Crops
June 4/06	88
5-year Avg. (2001-05)	93
June 5/05	93
June 6/04	90
Jun 1/03	91
Jun 2/02	92
June 3/01	99

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Saskatchewan Agriculture and Food
306-787-5956
e-mail: policybranch@agr.gov.sk.ca

Available on the SAF Internet site at: www.agr.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

1 Year Ago

Seeding of the 2005 crop was 93% complete.

Heavy rainfall, particularly in eastern areas of the province, caused flooding and left surplus topsoil moisture.

More than 80% of all crops were rated in good to excellent condition.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN Crop Insurance

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

The past week saw some showers and thundershowers in the southeast with precipitation amounts averaging 18 mm across the region. Rainfall amounts ranged from an average low of 6 mm in Crop District (CD) 3ase to an average high of 26 mm reported in CD 1b. Close to 50 mm was reported in the Manor and Tantallon areas. Heavy downpours caused some flooding and water erosion in CDs 1 and 2b. Damage from dry conditions was reported in CDs 2a and 3ase.

Seeding progress is reported as 95% complete across the southeast. Seeding ranges from 97% complete in CD 1a, to 89% complete in CD 1b. Farmers are doing some seeding for greenfeed.

Sixty-nine per cent of reporters rated topsoil moisture on crop land as adequate, compared to 72% last week. Sixteen per cent of reporters rate topsoil moisture on crop land as short. On hay and pasture land, topsoil moisture conditions are rated adequate by 74% of reporters. Just under 25% rate topsoil moisture conditions as short or very short on hay and pasture land. A few areas have wet land while other areas are needing a rain soon.

Spring cereal development is rated as normal by 72% of south eastern reporters and as ahead by 23%. Oilseed development is rated as normal by 70% of reporters and as behind by 19%. Pulse crop development is rated as normal by 76% of reporters and as ahead by 17%. Fall crops are rated as normal by 51% and as ahead by 46%.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 86%; Fall Rye – 79%; Spring Wheat – 90%; Durum – 84%; Oats – 90%; Barley – 91%; Triticale – 85%; Flax – 83%; Canola – 79%; Mustard – 66%; Sunflowers – 100%; Lentils – 76%; Peas – 84%; Canary seed – 87%; and Chickpeas – 84%.

Saskatchewan Crop Conditions, June 4, 2006

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	43	28	21	26	19	21	28
% good	43	49	67	62	63	67	49
% fair	8	12	11	12	17	10	22
% poor	4	8	1	0	1	2	1
% very poor	2	3	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	19	17	18	28	27	23	25	17
% good	64	61	59	72	59	65	63	72
% fair	16	19	18	0	14	11	11	11
% poor	1	2	5	0	0	1	1	0
% very poor	0	1	0	0	0	0	0	0

Flea beetles were reported in CDs 1b, 2, and 3ase. Tan spot was reported in CD 1, and farmers were reported to be spraying fungicides in CD 1a. Gophers caused crop damage in CD 1b. Flax crops were yellowing in CD 1b. Soil crusting in CD 1b caused some emergence problems for canola. Lack of topsoil moisture caused germination problems in the Parry area. In the Odessa area, germination was slowed where tractor tires packed wet soil.

Crop spraying and chemfallow are underway as weather conditions permit. Weed growth is heavy. In the Grenfell area, the fall rye has been heading for 10 days while the winter wheat was just starting to head out. In the Minton area, farmers are turning cattle onto winter wheat and fall rye crops; native pastures are turning brown; tame hay fields are drying up, and some farmers are hauling water to their stock. In the Ceylon area, the pasture grass is starting to deteriorate and tame hay yields are expected to be lower than normal.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

Some parts of the southwest received showers during the past week, and most areas experienced hot weather near the end of the week. An average of 9 mm of precipitation was reported across the region, ranging from an average low

of 5 mm in CD 3asw to an average high of 18 mm reported in CD 4b. Damage from flooding was reported in CDs 3asw, 3an, and 3bn. Damage from dry conditions was reported in CDs 3asw, 3b, and 4. Wind damage was reported in CDs 3b and 4a.

Seeding progress is reported as 98% complete across the southwest. Seeding ranges from 96% complete in CDs 3an and 3asw, to 99% complete in CD 4.

Areas of adequate moisture in the southwest increased this past week with the rain showers in some areas. Seventy-four per cent of reporters rate topsoil moisture on crop land as adequate, up from 70% last week. On hay and pasture land, topsoil moisture conditions are rated adequate by 45% of reporters and as short or very short by the rest. One RM in CD 3bn reports flooding in the southeast and drought in the northwest of the RM.

Spring cereal development is rated as normal by 77% of south western reporters and as ahead by 15%. Oilseed development is rated as normal by 80% of reporters and as ahead by 14%. Pulse crop development is rated as normal by 76% of reporters and as ahead by 20%. Fall crops are furthest advanced with 64% rated at normal development and 26% rated ahead.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 62%; Fall Rye – 63%; Spring Wheat – 90%; Durum – 88%; Oats – 90%; Barley – 89%; Triticale – 84%; Flax – 84%; Canola – 80%; Mustard – 72%; Sunflowers – 100%; Lentils – 86%; Peas – 91%; Canary seed – 81%; and Chickpeas – 90%.

Flea beetles were reported in CDs 3asw, 3an, and 3bs; cutworms were reported in CD 3an; and wireworms were reported in CD 3bn. Some farmers sprayed for flea beetles in their mustard crops. Gophers are causing crop and pasture damage in CDs 3asw, 3bs and 4a. Some canola was reported to have been written off by Crop Insurance in the Lucky Lake area.

In-crop spraying has started. Custom sprayers are booked solid in the Val Marie area. Farmers are also picking rocks and doing chemfallow. Winter wheat and hay crops were reported to be poor in the Shaunavon area. Tame hay crops are also expected to be poor in the Maple Creek area. Fall rye is going into flower north of Maple Creek.

East central Saskatchewan (Crop Districts 5 & 6a)

The east central region had a cloudy, wet week. An average of 21 mm was reported across the region, ranging from an average low of 12 mm in CD 6a to an average high of 29 mm reported in CD 5b. In the Insinger area, over 50 mm was reported. Flooding damage, including drowning of crops, was reported across the region. Hail and wind damage were reported in CD 6a. Some re-seeding may be done.

Seeding progress is reported as 77% complete across the east central region. CD 6a is furthest advanced with 90% seeded, while CD 5b reports an average of 58% seeded. Estimates from the Ituna area indicate that 15 to 20% of acres may not get seeded. Estimates from the Craik area indicate 10 to 15% of fields are going unseeded due to standing water. On the western edge of the district, farmers are looking for rain.

Topsoil moisture improved in the east central region during the past week. Forty-nine per cent of reporters rated topsoil moisture on crop land as adequate, compared with 37% last week. The balance rated topsoil moisture as surplus. On hay and pasture land, topsoil moisture conditions were rated adequate by 66% of reporters and as surplus by the rest.

Spring cereal development is rated as normal by 58% of east central reporters and as behind by 38%. Oilseed development is rated as normal by 60% of reporters and as behind by 40%. Pulse crop development is rated as normal by 64% of reporters and as behind by 36%. Fall crops are further advanced with 49% rated at normal development and 43% rated ahead of normal.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 99%; Fall Rye – 93%; Spring Wheat – 86%; Durum – 86%; Oats

– 70%; Barley – 86%; Triticale – 93%; Flax – 85%; Canola – 76%; Mustard – 79%; Sunflowers – 100%; Lentils – 90%; Peas – 81%; Canary seed – 87%; and Chickpeas – 88%.

The majority of the crop damage came from flooding during the past week. Flea beetles were reported across the region. Aphids and leaf diseases were reported in CD 6a.

Pre-seeding spraying and in-crop spraying are progressing as weather conditions permit. Farmers are getting stuck as they try to work in wet fields. In the Leroy area, agricultural retailers were stretched to supply fertilizer, seed, and spray as farmers struggled with field work.

West central Saskatchewan (Crop Districts 6b & 7)

The past week started off cool and wet in the west central region and then turned hot. An average of 13 mm of precipitation was reported, ranging from an average low of 10 mm in CD 6b to an average high of 15 mm reported in CD 7b. Localized hail damage was reported in CD 7b. Hot, windy days were stressing emerging canola in the Cando area.

Seeding progress is reported as 95% complete across the west central region. All CDs report at least 93% complete. Sloughs are preventing farmers from seeding full fields in many areas. Re-seeding took place in the Tramping Lake area when crop failed to germinate.

Topsoil moisture conditions improved in the west central region this past week as some of the surplus moisture dried. Ninety-seven per cent of reporters rate topsoil moisture on crop land as adequate, up from 82% last week. On hay and pasture land, topsoil moisture conditions are rated adequate also by 97% of reporters.

Spring cereal development is rated as normal by 76% of west central reporters and as behind by 21%. Oilseed development is rated as normal by 76% of reporters and as behind by 24%. Pulse crop development is rated as normal by 79% of reporters and as behind by 15%. Fall crops are further advanced with 75% rated at normal development and 21% rated ahead of normal.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 99%; Fall Rye – 83%; Spring Wheat – 97%; Durum – 94%; Oats – 98%; Barley – 97%; Triticale – 26%; Flax – 91%; Canola – 92%; Mustard – 96%; Sunflowers – 100%; Lentils – 95%; Peas – 98%; Canary seed – 96%; and Chickpeas – 98%.

Damage from flea beetles and gophers was reported in CD 7b. Some insecticide spraying took place in the Landis area.

In-crop spraying and chemfallow are underway. In the Grandora area, fall rye crops have headed out and look quite thin. Some harvesting of the 2005 crop took place in the Harris area, and the sample looked better than the piles in the fields that spoiled over the winter.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

The past week saw some heavy rains and then some warmer temperatures in the northeast. An average of 33 mm of precipitation was reported across the region, ranging from an average low 21 mm in CD 8b to an average high of 51 mm reported in CD 8a. Over 100 mm was reported in the Tisdale area. Flooding damage to crops was reported across the region. In RM 456, a bridge was washed out and water was running over the road. Localized hail damage was reported in CD 9ae.

Seeding progress is reported as 73% complete across the northeast. CD 8b leads at 85% complete, while CD 8a reports 56% complete. In some RMs the fields are so saturated that our reporters do not expect much more crop will be planted for harvest this fall. In many RMs in the region, crops have standing water, there are large drown-out areas, and plants are turning yellow.

Topsoil moisture deteriorated in the northeast this past week. Seventy-one per cent of reporters rate topsoil moisture on crop land as surplus, compared with 63% last week. On hay and pasture land, topsoil moisture conditions are rated

adequate by 50% of reporters, down from 54% last week.

Spring cereal development is rated as normal by 48% of north eastern reporters and as behind by 48%. Oilseed development is also rated as normal by 48% of reporters and as behind by 48%. Pulse crop development is rated as normal by 52% of reporters and as behind by 44%. Fall crops are rated at normal development by 75% of reporters and ahead of normal by 25%.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 99%; Fall Rye – 73%; Spring Wheat – 67%; Durum – 97%; Oats – 68%; Barley – 75%; Flax – 53%; Canola – 61%; Mustard – 91%; Sunflowers – 100%; Lentils – 98%; Peas – 73%; and Canary seed – 71%.

The majority of the crop damage was caused by flooding during the past week. Flea beetles were reported in CDs 8b and 9ae. Leaf diseases were reported in CD 8a.

North western Saskatchewan (Crop Districts 9aw & 9b)

The northwest had some precipitation and also some hot, windy days. Showers brought an average of 13 mm of precipitation. Localized flooding was reported across the region and hail damage was reported in CD 9b. The cool temperatures caused some crop damage in CD 9aw.

Seeding progress is reported as 90% complete across the northwest. The St. Walburg area is less than 75% complete. In the Debden area, farmers are struggling to seed in the mud. There is also some combining to do in that area when the fields and crops dry a bit. Near Lloydminster, some farmers hired an airplane to seed the canola – partially to eliminate deep ruts in the fields.

Topsoil moisture was rated as adequate by 83% of reporters, compared to 74% the previous week. Some of the surplus moisture dried. On hay and pasture land, topsoil moisture conditions are rated adequate by 96% of reporters.

Spring cereal development is rated as normal by 70% of north western reporters and as behind by 26%. Oilseed development is rated as normal by 65% of reporters and as behind by 30%. Pulse crop development is rated as normal by 67% of reporters and as behind by 24%. Fall crops are rated by 73% of reporters as normal development and by 27% as ahead of normal.

Crop reporters rated crops in good to excellent condition at the following percentages: Fall Rye – 89%; Spring Wheat – 98%; Durum – 100%; Oats – 94%; Barley – 98%; Triticale – 89%; Flax – 100%; Canola – 92%; Mustard – 100%; Lentils – 100%; Peas – 99%; Canary seed – 100%; and Chickpeas – 100%.

Spraying has started. Greenfeed is being planted.

Weekly Rainfall Summary

(in millimeters)

for the week ending June 3, 2006

Crop Dist.	Municipality No.	Name	Past Week	Since April 1
1A	1	Argyle	20	130
	2	Mount Pleasant	18	118
	3 B	Enniskillen	15	101
	32	Reciprocity	21	78
	33 A	Moose Creek	17	92
	33 B	Moose Creek	45	130
	34	Browning	23	147
	35	Benson	7	118
	63 A	Moose Mountain	49	147
	63 B	Moose Mountain	44	139
	64	Brock	26	136
	65	Tecumseh	7	102
1B	92	Walpole	13	122
	92 B	Walpole	23	123
	93	Wawken	33	145
	95	Golden West	16	142
	121	Moosomin	20	139
	122	Martin	23	151
	123	Silverwood	45	166
	124	Kingsley	28	128
	125	Chester	9	108
	151 A	Rocanville	40	190
	151 B	Rocanville	49	246
	153	Willowdale	36	146
	154	Elcapo	20	114
	155	Wolseley	10	160
2A	36	Cymri	13	159
	67	Weyburn	15	109
	68	Brokenshell	10	116
	69	Norton	7	107
	96	Fillmore	11	120
	97	Wellington	14	106
	99	Caledonia	7	93
2B	126	Montmartre	19	95
	127	Francis	24	105
	128	Lajord	4	74
	129	Bratt's Lake	14	76
	131	Baildon	13	99
	156 A	Indian Head	25	130
	156 B	Indian Head	24	138
	157	South Qu'appelle	24	122
	158	Edenwold	8	112
	160	Pense	15	83
	161	Moose Jaw	1	150
	191	Marquis	NIL	104
3ASE	8	Lake Alma	7	98
	9	Surprise Valley	10	94
	38 A	Laurier	5	102
	38 B	Laurier	NIL	64
	39 A	The Gap	5	87
	39 B	The Gap	10	88
3ASW	10	Happy Valley	NIL	59
	40	Bengough	6	88
	42	Willow Bunch	3	103
	43 A	Old Post	TR	80
	43 B	Old Post	3	98
	44	Waverley	14	146
	71 A	Excel	3	119
	71 B	Excel	2	113
	71 C	Excel	NIL	167
	73 A	Stonehenge	NIL	128
	73 B	Stonehenge	28	149
3AN	101 A	Terrell	11	97
	101 B	Terrell	14	95
	102	Lake Johnston	4	92
	103	Sutton	2	141
	132	Hillsborough	13	114
	193	Eyebrow	16	126
	194	Enfield	14	70
3BS	17 A	Val Marie	11	66
	17 B	Val Marie	9	78
	45	Mankota	22	122
	75 A	Pinto Creek	3	118
	75 B	Pinto Creek	2	126
	76 A	Auvergne	NIL	66
	78 A	Grassy Creek	4	44
	78 B	Grassy Creek	7	47
	78 C	Grassy Creek	5	50
	105	Glenbain	18	165
	106	Whiska Creek	13	86
	107	Lac Pelletier	2	36
	108	Bone Creek	6	58
3BN	135	Lawtonia	3	106
	136	Coulee	4	71
	138	Webb	10	54
	166	Excelsior	2	58
	167	Sask. Landing	8	59
	225	Canaan	5	42
	226	Victory	8	74
	228 A	Lacadena	9	69
	228 B	Lacadena	15	97
4A	19	Frontier	2	75
	49 A	White Valley	7	32
	49 B	White Valley	NIL	28
	51	Reno	10	50
	79	Arlington	9	31
	109	Carmichael	18	63
	110	Piapot	20	64
	111 A	Maple Creek	21	53
	111 B	Maple Creek	26	65
4B	139	Gull Lake	8	39
	141	Big Stick	23	64
	142	Enterprise	27	81
	169	Pittville	5	27
	231	Happyland	23	78
	232	Deer Forks	20	71
5A	152	Spy Hill	43	215
	183	Fertile Belt	35	164
	185	Mcleod	15	139
	186	Abernethy	21	137
	187	North Qu'appelle	20	130
	211	Churchbridge	24	171
	213	Saltcoats	29	119
	216	Tullymet	35	158
	217 B	Lipton	19	133
	241	Calder	34	125
	243	Wallace	39	162
	245 A	Garry	12	145
	245 B	Garry	14	157
	246	Ituna Bon Accord	22	125
	247	Kellross	38	178
	248	Touchwood	8	79
5B	271	Cote	25	124
	275 A	Insinger	51	243
	275 B	Insinger	5	162
	276	Foam Lake	41	154
	277	Emerald	25	144
	307	Elfros	21	157
	335	Hazel Dell	27	166
	336	Sasman	28	149
	338	Lakeside	27	137
	366 A	Kelvington	37	110
	366 B	Kelvington	36	135
	367	Ponass Lake	30	142
6A	189	Lumsden	24	124
	190 A	Dufferin	16	74
	190 B	Dufferin	5	115
	190 C	Dufferin	28	106
	219 B	Longlaketon	7	99
	220	Mckillop	15	104
	221	Sarnia	14	102
	222	Craik	23	125
	251	Big Arm	15	80
	252	Arm River	14	77
	279 A	Mount Hope	2	77
	279 B	Mount Hope	13	94
	280	Wreford	8	82
	282	Mccraney	10	65
	312	Morris	12	80
	313	Lost River	10	60
	339 B	Leroy	11	141
	340 A	Wolverine	18	119
	340 B	Wolverine	NIL	127
	341	Viscount	6	83
	343	Blucher	8	93
6B	254	Loreburn	6	57
	283	Rosedale	14	60
	284	Rudy	10	72
	285	Fertile Valley	9	79
	286	Milden	14	79
	344	Corman Park	5	50
	345	Vanscoy	6	51
	346	Perdue	20	109
	376 A	Eagle Creek	6	60
	376 B	Eagle Creek	11	68
	404	Laird	10	92
7A	259	Snipe Lake	10	61
	287	St. Andrews	6	50
	288	Pleasant Valley	1	64
	292	Milton	24	103
	317 B	Marriott	15	98
	317 C	Marriott	8	71
	318 A	Mountain View	11	103
	318 B	Mountain View	14	102
	321	Prairiedale	28	117
7B	347 A	Biggar	17	66
	347 B	Biggar	11	60
	350 A	Mariposa	13	93
	350 B	Mariposa	9	87
	351	Progress	20	100
	352	Heart's Hill	30	93
	378 A	Rosemount	11	66
	378 B	Rosemount	10	43
	379	Reford	18	75
	380 A	Tramping Lake	12	62
	381	Grass Lake	24	102
	382	Eye Hill	21	111
	409	Buffalo	8	75
	410	Round Valley	5	71
8A	395	Porcupine	41	152
	397	Barrier Valley	36	153
	398	Pleasantdale	38	137
	428	Star City	40	110
	456	Arborfield	41	128
	457 A	Connaught	104	183
	486	Moose Range	33	84
	487	Nipawin	78	123
8B	369	St. Peter	14	145
	370	Humboldt	20	107
	371	Bayne	16	86
	372	Grant	12	61
	373	Aberdeen	13	73
	399	Lake Lenore	32	107
	400	Three Lakes	18	76
	401	Hoodoo	11	55
	402	Fish Creek	15	81
	429 A	Flett's Springs	38	120
	429 B	Flett's Springs	40	108
	430	Invergordon	22	101
	431	St. Louis	10	60
	459	Kinistino	27	89
9AE	461	Prince Albert	16	84
	488	Torch River	78	127
	520	Paddockwood	38	86
9AW	405	Great Bend	5	51
	406	Mayfield	13	71
	435	Redberry	8	81
	436 B	Douglas	6	22*
	463	Duck Lake	17	73
	464	Leask	15	115
	467	Round Hill	13	80
	467 B	Round Hill	9	88
	493	Shellbrook	21	75
	494	Canwood	9	123
	496	Spiritwood	13	91
	497	Medstead	8	52
	555	Big River	24	94
9B	438 A	Battle River	15	76
	438 B	Battle River	18	74
	472	Wilton	14	93
	498 A	Parkdale	7	40
	498 B	Parkdale	10	39
	499	Mervin	18	97
	501 A	Frenchman Butte	11	73
	501 B	Frenchman Butte	20	73
	501 C	Frenchman Butte	9	91
	502	Britannia	13	92
	588 B	Meadow Lake	11	90

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2006
To: June 4, 2006



Crop Land Topsoil Moisture Conditions
June 4, 2006



Crop Land Topsoil Moisture Conditions
June 4, 2006



Crop Districts
and
Rural Municipalities



Weekly Rainfall

for the week ending June 3, 2006



Saskatchewan

Cumulative Rainfall

From: April 1, 2006

To: June 3, 2006



Saskatchewan

Crop Land Topsoil Moisture Conditions

June 4, 2006



Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 4, 2006



Saskatchewan

Crop Land Topsoil Moisture Conditions

June 4, 2006



Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 4, 2006



Saskatchewan

Crop Damage - Flood

for the week ending June 3, 2006



Saskatchewan

Crop damage data - SAF Crop Report Database

Crop Damage - Drought

for the week ending June 3, 2006



Saskatchewan

Crop damage data - SAF Crop Report Database